

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and optimiz\$6 with quer\$3 and predicate\$1 same cost\$1 same access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 11:38
S2	1	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and optimiz\$6 and predicate\$1 same query near3 cost\$1 same access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 11:40
S3	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and optimiz\$6 and predicate\$1 same query near3 cost\$1 with access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 11:41
S4	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and optimiz\$6 and predicate\$1 same query near5 cost\$1 with access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 11:41
S5	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and predicate\$1 same query near5 cost\$1 with access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 11:41
S6	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and predicate\$1 same query with cost\$1 with access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 11:41

S7	2	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and predicate\$1 same query same cost\$1 with access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 11:41
S8	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and extract\$4 with predicate\$1 and cost\$1 with access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 11:42
S9	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and extract\$4 with predicate\$1 and cost\$1 same access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 11:42
S10	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and extract\$4 with predicate\$1 and cost\$1 same access near4 path\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 11:43
S11	10	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and extract\$4 same predicate\$1 and cost\$1 same access near4 path\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 11:43
S12	0	2002/0069082	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/10 08:38
S13	2	"20020069082"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/10 08:38

S14	8	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and predicate\$1 and cost\$1 with (actual or estimat\$3) near5 access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 13:35
S15	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and execut\$4 with predicate\$1 and cost\$3 near4 (actual and estimat\$3) near5 access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 13:38
S16	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and execut\$4 with predicate\$1 and cost\$3 with (actual and estimat\$3) near5 access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 13:38
S17	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and execut\$4 same predicate\$1 and cost\$3 with (actual and estimat\$3) near5 access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 13:38
S18	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and predicate\$1 and cost\$3 with (actual and estimat\$3) near5 access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 13:38
S19	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and predicate\$1 and cost\$3 with (actual and estimat\$3) near5 access near4 path\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 13:38
S20	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and predicate\$1 and cost\$3 same (actual and estimat\$3) near5 access near4 path\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 13:39

S21	8	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and predicate\$1 and cost\$3 same (actual and estimat\$3) same access near4 path\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 13:39
S22	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and execut\$4 with predicate\$1 and cost\$3 near4 (actual and estimat\$3) same access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 13:39
S23	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and execut\$4 with predicate\$1 and cost\$3 with (actual and estimat\$3) same access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 13:39
S24	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and execut\$4 same predicate\$1 and cost\$3 with (actual and estimat\$3) same access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 13:39
S25	3	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and identify\$3 near4 (quer\$3 or search near criteria or predicate\$1) and cost\$3 same (actual and estimat\$3) same access near4 path\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 13:41
S26	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (substitut\$4 or exchang\$3) same (actual and estimat\$3) near7 cost\$3 same access near4 path\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 13:43

S27	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (substitut\$4 or exchang\$3) same (actual and estimat\$3) same cost\$3 same access near4 path\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 13:43
S28	1	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (substitut\$4 or exchang\$3) same (actual and estimat\$3) same cost\$3 same access with path\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 13:44
S29	2	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (STORED OR STORAGE OR DATABASE) WITH (actual and estimat\$3) same cost\$3 same access with path\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 13:54
S30	10	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and (STORED OR STORAGE OR DATABASE) WITH (actual and estimat\$3) same cost\$3 AND access with path\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 13:59

4/ 11/ 2009 7:00:31 PM

C:\ Documents and Settings\ fnelson1\ My Documents\ EAST\ Workspaces\ 10730629 access  
path cost.wsp